Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	33	(memory near3 map$3) with (power near2 (manag$5 or conserv$5 or mode or modes))	USPAT	OR	OFF	2004/11/17 15:13
S2	2	((chang$3 or alte$4 or adjust$3 or switch$3) near2 (memory adj2 map$3)) near5 power	USPAT	OR	OFF	2003/03/13 11:07
S3	1	(Super adj2 State) adj2 (code or microcode)	USPAT	OR	OFF	2003/03/13 11:28
S4	22	("4203153" | "4420806" | "4590553" | "4709324" | "4757505" | "4768149" | "4860005" | "4930065" | "4930068" | "4964121" | "5109521" | "5129091" | "5167024" | "5201059" | "5247164" | "5274791" | "5349688" | "5392457" | "5404546" | "5406064" | "5410714" | "5515539").PN.	USPAT	OR	OFF	2003/03/13 11:08
S5	0	"6125412".URPN.	USPAT	OR	OFF	2003/03/13 11:08
S6	81	(Chips near2 Technolog$4).as.	USPAT	OR	OFF	2003/03/13 15:12
S7	374	Super adj2 State	USPAT	OR	OFF	2003/03/13 11:28
S8	1	((Chips near2 Technolog$4).as.) and (Super adj2 State)	USPAT	OR	OFF	2003/03/13 11:28
S9	13	(peripheral near6 (memory near2 map$3)) same power	USPAT	OR	OFF	2003/12/10 17:07
S10	0	(peripheral near6 (memory near2 (remap$3 or re-map$3))) same power	USPAT	OR	OFF	2003/03/13 11:58
S11	4	("4030073" | "4591982" | "4736290" | "4926322").PN.	USPAT	OR	OFF	2003/03/13 12:02
S12	8	"5274791".URPN.	USPAT	OR	OFF	2003/03/13 12:02
S13	0	(redirect$3 near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	OR	OFF	2003/03/13 15:19
S14	0	(remap$3 near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	OR	OFF	2003/03/13 15:15
S15	29	((disabl$3 or off or shutdown) near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	OR	OFF	2003/03/20 14:55
S16	12	((access3 or communicat$3) near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	USPAT	OR	OFF	2003/03/13 15:26
S17	38	"5339437".URPN.	USPAT	OR	OFF	2003/03/13 15:48

S18	418	((queu$3 or buffer$3) near2 (information or data)) near5 power	USPAT	OR	OFF	2003/03/20 14:56
S19	36	(((queu$3 or buffer$3) near2 (information or data)) near5 power) with periphera$2	USPAT	OR	OFF	2003/03/13 15:50
S20	35	((queu$3 or buffer$3) near2 (information or data)) near5 (power near2 (sav$3 or manag$5 or reduc$3))	USPAT	OR	OFF	2003/03/13 15:52
S21	10	("4647721" | "4675537" | "4731549" | "4747041" | "4794525" | "5214785" | "5321428" | "5347167" | "5359540" | "5477476").PN.	USPAT	OR	OFF	2003/03/13 15:58
S22	6	"5594672".URPN.	USPAT	OR	OFF	2003/03/13 15:56
S23	32	(((queu$3 or buffer$3) near2 (information or data)) near5 (power near2 (sav$3 or manag$5 or reduc$3))) not ((((queu$3 or buffer$3) near2 (information or data)) near5 power) with periphera$2)	USPAT	OR	OFF	2003/03/13 15:56
S24	38	"5339437".urpn.	USPAT	OR	OFF	2003/03/17 13:56
S25	3	((buffer near4 (data or information)) near5 peripheral) with (sleep or suspend or (power adj2 down))	USPAT	OR	OFF	2003/03/17 14:08
S26	2	intercept$3 near5 peripheral near5 power	USPAT	OR	OFF	2003/03/17 14:18
S27	837	intercept$4 with (peripheral or peripherals)	USPAT	OR	OFF	2003/03/17 14:33
S28	14	(intercept$4 with (peripheral or peripherals)) with power	USPAT	OR	OFF	2003/03/17 14:20
S29	64	intercept$4 with (peripheral or peripherals) with (information or data or writes)	USPAT	OR	OFF	2003/03/17 14:59
S30	3426	(buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)	USPAT	OR	OFF	2003/03/20 15:26
S31	66	((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with power	USPAT	OR	OFF	2003/03/17 14:54
S32	12	((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with (suspend$3 or sleep$3 or hibernat$3 or (power adj2 down))	USPAT	OR	OFF	2003/03/17 14:52

S33	61	(((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with power) not (((buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)) with (suspend$3 or sleep$3 or hibernat$3 or (power adj2 down)))	USPAT	OR	OFF	2003/03/17 14:54
S34	0	(queu$3 with (peripheral or peripherals) with (information or data or writes)) with power	USPAT	OR	OFF	2003/03/17 15:01
S35	1	(queu$3 with (peripheral or peripherals) with (information or data or writes)) same power	USPAT	OR	OFF	2003/03/17 15:02
S36	180	queu$3 with (peripheral or peripherals) with (information or data or writes)	USPAT	OR	OFF	2003/03/17 15:02
S37	85	(queu$3 with (peripheral or peripherals) with (information or data or writes)) and power	USPAT	OR	OFF	2003/03/20 14:55
S38	0	rerout near3 peripheral	USPAT	OR	OFF	2003/03/17 15:36
S39	122	printer adj2 queue	USPAT	OR	OFF	2003/03/17 15:36
S40	1	(updat$3 near4 context) with (power)	USPAT	OR	OFF	2003/03/17 15:36
S41	22	("5075875" | "5084875" | "5164842" | "5214772" | "5220566" | "5220674" | "5226112" | "5247623" | "5268993" | "5271065" | "5297246" | "5303336" | "5323393" | "5333286" | "5353388" | "5361265" | "5371837" | "5438528" | "5559933" | "5580177" | "5699494" | "6052204").PN.	USPAT	OR	OFF	2003/03/17 16:31
S42	154	(power adj2 (sav$3 or conserv$5 or reduc$3)) with printer	USPAT	OR	OFF	2003/03/17 16:32
S43	67	(power adj2 (sav$3 or conserv$5 or reduc$3)) near3 printer	USPAT	OR	OFF	2003/03/17 16:34
S44	0	framebuffer near5 (rerout$3 or redirect$3)	USPAT	OR	OFF	2003/03/18 11:06
S45	0	framebuffer near5 (power near3 (conserv$5 or reduc$4 or sav$3))	USPAT	OR	OFF	2003/03/18 11:17
S46	15	(frame adj2 buffer) with (power near3 (conserv$5 or reduc$4 or sav$3))	USPAT	OR	OFF	2003/03/18 11:20
S47	114	virtual near5 (frame adj2 buffer)	USPAT	OR	OFF	2003/03/18 13:30
S48	8547	frame adj2 buffer	USPAT	OR	OFF	2003/03/18 13:31

S49	98	(frame adj2 buffer) with ((power$3 adj2 (off or down)) or disabl$3)	USPAT	OR	OFF	2003/03/18 13:37
S50	7	(frame adj2 buffer) with ((power$3 adj2 (off or down)))	USPAT	OR	OFF	2003/03/18 13:37
S51	4	("5167024" | "5321806" | "5402148" | "5408639").PN.	USPAT	OR	OFF	2003/03/18 14:01
S52	4	"5619707".URPN.	USPAT	OR	OFF	2003/03/18 14:01
S53	1	"5963219".URPN.	USPAT	OR	OFF	2003/03/18 14:16
S54	1	"5963219".URPN.	USPAT	OR	OFF	2003/03/18 14:16
S55	14	("5136695" | "5167024" | "5218607" | "5369771" | "5392438" | "5442800" | "5465367" | "5524249" | "5537650" | "5560024" | "5572655" | "5615376" | "5619707" | "5625826").PN.	USPAT	OR	OFF	2003/03/18 14:17
S56	3036	alternate adj2 (location or memory or storage)	USPAT	OR	OFF	2003/03/18 15:31
S57	18	(alternate adj2 (location or memory or storage)) near5 power	USPAT	OR	OFF	2003/03/18 15:55
S58	872	(send$3 or transfer$3 or direct$3) near4 only near4 available	USPAT	OR	OFF	2003/03/18 16:00
S59	69609	tempor$5 near3 (stor$3 or sav$3 or buffer$3)	USPAT	OR	OFF	2003/03/18 16:06
S60	0	(((send$3 or transfer$3 or direct$3) near4 only near4 available) with power) with ("not" adj2 (on or available))	USPAT	OR	OFF	2003/03/18 15:59
S61	19	((send$3 or transfer$3 or direct$3) near4 only near4 available) with power	USPAT	OR	OFF	2003/03/18 15:59
S62	404	(send$3 or transfer$3) near4 only near4 available	USPAT	OR	OFF	2003/03/18 16:04
S63	0	(send$3 or transfer$3) near4 only near3 "when" near3 available	USPAT	OR	OFF	2003/03/18 16:03
S64	0	(send$3 or transfer$3) with (only adj3 "when" adj3 available)	USPAT	OR	OFF	2003/03/18 16:04
S65	5	((send$3 or transfer$3) near4 only near4 available) with peripheral$1	USPAT	OR	OFF	2003/03/18 16:04
S66	708	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with peripheral$1	USPAT	OR	OFF	2003/03/18 16:05
S67	325	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)	USPAT	OR	OFF	2003/03/20 15:01

S68	2	((tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)) and 713/320-324. ccls.	USPAT	OR	OFF	2003/03/18 16:08
S69	7	((tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)) with power	USPAT	OR	OFF	2003/03/18 16:09
S70	185	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) and 713/320-324. ccls.	USPAT	OR	OFF	2003/03/18 16:14
S71	5	((tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with peripheral$1) and 713/320-324.ccls.	USPAT	OR	OFF	2003/03/18 16:19
S72	4901	re-direct$3 or re-rout$3	USPAT	OR	OFF	2003/03/18 16:19
S73	692	(re-direct$3 or re-rout$3) with (data or information or instructions)	USPAT	OR	OFF	2003/03/18 16:20
S74	0	(re-direct$3 or re-rout$3) with ("not" adj2 (available or on))	USPAT	OR	OFF	2003/03/18 16:21
S75	3	((re-direct$3 or re-rout$3) with (data or information or instructions)) with peripheral$1	USPAT	OR	OFF	2003/03/18 16:21
S76	146	(re-direct$3 or re-rout$3) with ((available or on))	USPAT	OR	OFF	2003/03/18 16:34
S77	1	((re-direct$3 or re-rout$3) with ((available or on))) and "713"/$. ccls.	USPAT	OR	OFF	2003/03/18 16:22
S78	1	"4716543".pn.	USPAT	OR	OFF	2003/03/18 17:00
S79	55	chan.xp. and digital.as.	USPAT	OR	OFF	2003/03/18 17:12
S80	6042	map$3 near5 (alternate or different or auxilliary)	USPAT	OR	OFF	2003/03/20 14:59
S81	33	(map$3 near5 (alternate or different or auxilliary)) with (unavailable or off or disabled)	USPAT	OR	OFF	2003/03/18 17:16
S82	111	(map$3 near5 (alternate or different or auxilliary)) and "713"/$.ccls.	USPAT	OR	OFF	2003/03/18 17:20
S83	3	(map$3 near5 (alternate or different or auxilliary)) and 713/320-324.ccls.	USPAT	OR	OFF	2003/03/18 17:20
S84	3	(power adj2 manag$3) with ((network adj2 (card or controller)) or NIC)	USPAT	OR	OFF	2003/03/19 14:30
S85	2	(memory near3 map$3) with (power near2 (manag$5 or conserv$5 or mode or modes))	EPO; JPO	OR	OFF	2003/03/20 14:54

S86	1	((disabl$3 or off or shutdown) near3 peripheral) with (power near3 (sav$3 or conserv$ or manag$4))	EPO; JPO	OR	OFF	2003/03/20 14:55
S87	0	(queu$3 with (peripheral or peripherals) with (information or data or writes)) and power	EPO; JPO	OR	OFF	2003/03/20 14:55
S88	86	((queu$3 or buffer$3) near2 (information or data)) near5 power	EPO; JPO	OR	OFF	2003/03/20 14:56
S89	461	map$3 near5 (alternate or different or auxilliary)	EPO; JPO	OR	OFF	2003/03/20 14:59
S90	42	(tempor$5 near3 (stor$3 or sav$3 or buffer$3)) with ((instructions or data or information) near6 peripheral$1)	EPO; JPO	OR	OFF	2003/03/20 15:02
S91	24	(buffer$3 or stor$3 or sav$3) near4 (information or data) near4 (peripheral or peripherals)	IBM_TDB	OR	OFF	2003/03/20 15:26
S92	105	alternate adj2 (memory near2 (location$1 or address$1 or space$1))	USPAT	OR	OFF	2003/12/01 16:45
S93	65	(alternate adj2 (memory near2 (location$1 or address$1 or space$1))) and g06f$.ipc.	USPAT	OR	OFF	2003/12/01 16:48
S94	14	(alternate adj2 (memory near2 (location$1 or address$1 or space$1))) and (power near3 (sav$3 or reduc$5 or conserv$5))	USPAT	OR	OFF	2003/12/01 17:04
S95	6	(alternate adj2 (memory near2 (location$1 or address$1 or space$1))) same power	USPAT	OR	OFF	2003/12/01 17:04
S96	6411	video adj1 (ram or memory)	USPAT	OR	OFF	2003/12/10 15:56
S97	256	(video adj1 (ram or memory)) near3 map$3	USPAT	OR	OFF	2003/12/10 15:57
S98	0	((video adj1 (ram or memory)) near3 map$3) and 713/3$.ccls.	USPAT	OR	OFF	2003/12/10 15:57
S99	163	(video adj1 (ram or memory)) and 713/3$.ccls.	USPAT	OR	OFF	2003/12/10 16:17
S10 0	654	(framebuffer or (frame adj1 buffer)) with updat$3	USPAT	OR	OFF	2003/12/10 16:26
S10 1	2	((framebuffer or (frame adj1 buffer)) with updat$3) and 713/32$.ccls.	USPAT	OR	OFF	2003/12/10 16:30
S10 2	205	((framebuffer or (frame adj1 buffer)) with updat$3) with (RAM or memory)	USPAT	OR	OFF	2003/12/10 16:30

S10 3	10	(framebuffer or (frame adj1 buffer)) with (rerout$3 or redirect$3)	USPAT	OR	OFF	2003/12/10 16:26
S10 4	1	((((framebuffer or (frame adj1 buffer)) with updat$3) with (RAM or memory)) and 713/32$.ccls.	USPAT	OR	OFF	2003/12/10 16:49
S10 5	15	("5675808" | "5752045" | "5781496" | "5781768" | "5804749" | "5835435" | "5907330" | "6067083" | "6073223" | "6079025" | "6112310" | "6177946" | "6209075" | "6263448" | "6292201").PN.	USPAT	OR	OFF	2003/12/10 16:31
S10 6	22	(temporar$5 near2 (sav$3 or stor$3)) with (power$3 adj1 off)	USPAT	OR	OFF	2003/12/10 17:09
S10 7	173	(sav$3 or stor$3) with ((while or during) near3 (power$3 adj1 off))	USPAT	OR	OFF	2003/12/10 17:02
S10 8	0	(redirect$3 or rerout$3) with ((while or during) near3 (power$3 adj1 off))	USPAT	OR	OFF	2003/12/10 16:58
S10 9	40	((sav$3 or stor$3) with ((while or during) near3 (power$3 adj1 off))) and g06f$.ipc.	USPAT	OR	OFF	2003/12/10 16:58
S11 0	1	((sav$3 or stor$3) with ((while or during) near3 (power$3 adj1 off))) with intend$3	USPAT	OR	OFF	2003/12/10 17:02
S11 1	374	(peripheral near6 (memory near2 map$3))	USPAT	OR	OFF	2003/12/10 17:07
S11 2	0	((peripheral near6 (memory near2 map$3))) same (power$3 adj1 (down or off))	USPAT	OR	OFF	2003/12/10 17:08
S11 3	0	(alternate adj2 location) with (power adj2 (off or down))	USPAT	OR	OFF	2003/12/10 17:08
S11 4	7567	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (during or while or when)	USPAT	OR	OFF	2003/12/10 17:15
S11 5	28	((temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (during or while or when)) and 713/3$.ccls.	USPAT	OR	OFF	2003/12/10 17:11
S11 6	0	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with ("not available")	USPAT	OR	OFF	2003/12/10 17:15
S11 7	49	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (unavailable or "not available")	USPAT	OR	OFF	2003/12/11 10:24
S11 8	41	(temporar$5 near2 (sav$3 or stor$3 or hold$3)) with (power near2 (state$1 or mode$1))	USPAT	OR	OFF	2003/12/11 13:32

S11 9	1	sakai.in. and acpi	USPAT	OR	OFF	2004/05/20 13:20
S12 0	223	(power$3 adj2 down) near3 peripheral$1	USPAT	OR	OFF	2004/05/25 10:35
S12 1	127	(power$3 adj2 off) near3 peripheral$1	USPAT	OR	OFF	2004/05/25 10:36
S12 2	8	((power$3 adj2 down) near3 peripheral$1) same ((power$3 adj2 off) near3 peripheral$1)	USPAT	OR	OFF	2004/05/25 10:50
S12 3	104	standby near3 peripheral	USPAT	OR	OFF	2004/05/25 10:51
S12 4	2416	off near3 peripheral	USPAT	OR	OFF	2004/05/25 10:51
S12 5	5	(standby near3 peripheral) same (off near3 peripheral)	USPAT	OR	OFF	2004/05/25 11:17
S12 6	1640	713/32$.ccls.	USPAT	OR	OFF	2004/05/25 11:17
S12 7	459	713/324.ccls.	USPAT	OR	OFF	2004/05/25 11:17
S12 8	89	713/324.ccls. and (peripheral with (mode or state))	USPAT	OR	OFF	2004/05/25 15:16
S12 9	0	713/32$.ccls. and (framebuffer$1)	USPAT	OR	OFF	2004/05/25 15:16
S13 0	45	713/32$.ccls. and (frame adj buffer$1)	USPAT	OR	OFF	2004/05/25 15:16
S13 1	1	713/32$.ccls. and (frame adj buffer$1).ti.	USPAT	OR	OFF	2004/05/25 15:16
S13 2	55	virtual adj1 (framebuffer or (frame adj1 buffer))	USPAT	OR	OFF	2004/11/17 15:13